

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: BARRIER REEF TOLL-FREE PHONE: 866-970-7873
PRODUCT CODE: SCG 186 CALIFORNIA CALLS: 714-894-1707
PRODUCT USE: Vehicle Wax FAX PHONE: 714-894-1759
DATE PREPARED: 21-Oct-2010 24 HOUR EMERGENCY USA/CANADA: INFOTRAC: 1-800-535-5053
DISTRIBUTOR: Surf City Garage 24 HOUR EMERGENCY INTERNATIONAL: INFOTRAC: 1-352-323-3500
ADDRESS: 5872 Engineer Drive
Huntington Beach CA 92649

SECTION 2: COMPOSITION / INFORMATION ON INGREDIENTS

INGREDIENT(S)	CAS NO.	%WT:
Aliphatic hydrocarbons	8052-41-3	15%
Octamethylcyclotetrasiloxane	556-67-2	7%
Decamethylcyclopentasiloxane	541-02-6	3%

SECTION 3: HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: Combustible liquid
ROUTE(S) OF ENTRY: INHALATION: YES SKIN: YES INGESTION: YES EYES: YES
POTENTIAL HEALTH EFFECTS: INHALATION: Irritant SKIN: Irritant INGESTION: Irritant EYES: Irritant
ACUTE HEALTH HAZARDS: Prolonged skin contact may cause slight irritation. Can cause eye irritation.
Excessive inhalation may cause respiratory irritation. Will irritate digestive tract if swallowed.
CHRONIC HEALTH HAZARDS: Irritation, headache, nausea, vomiting, central nervous system depression.
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: May aggravate pre-existing skin conditions.
CARCINOGENICITY OSHA: Not Listed ACGIH: Not Listed NTP: Not listed IARC: Not Listed OTHER:

SECTION 4: FIRST AID MEASURES

EYES: Flush with water, especially under eyelids, for at least 15 minutes. Call physician.
SKIN: Wash with soap and water, see physician if irritation persists.
INHALATION: Remove to fresh air, give oxygen if needed.
INGESTION: Do not induce vomiting. Get medical attention immediately.
NOTES TO PHYSICIANS OR FIRST AID PROVIDERS None beyond listed above

SECTION 5: FIRE-FIGHTING MEASURES

FLAMMABLE LIMITS IN AIR (% BY VOLUME) UPPER: LOWER:
FLASH POINT: ## F 55 C METHOD USED: TCC AUTOIGNITION TEMPERATURE: F C
NFPA HAZARD CLASSIFICATION: TOXICITY: 1 FLAMMABILITY: 2 REACTIVITY: 0 OTHER:
HMIS HAZARD CLASSIFICATION: HEALTH: 1 FLAMMABILITY: 2 REACTIVITY: 0 PROTECTION:
EXTINGUISHING MEDIA: Foam, carbon dioxide, dry chemical
SPECIAL FIRE FIGHTING PROCEDURES: Cool fire exposed containers with water.
UNUSUAL FIRE AND EXPLOSION HAZARDS: See hazardous decompositions
HAZARDOUS DECOMPOSITION PRODUCTS:

Carbon monoxide and other unidentified organic compounds may be released during combustion.

SECTION 6: ACCIDENTAL RELEASE MEASURES

ACCIDENTAL RELEASE MEASURES: Contain spill. Remove with inert absorbent material. Wash spill area with water.

SECTION 7: HANDLING AND STORAGE

HANDLING AND STORAGE: Store packages upright and lids (caps) tightly closed. Store between 40F(4C) - 100F(37.7C)

OTHER PRECAUTIONS: Keep out of the reach of children. Do not get in eyes or on skin.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

ENGINEERING CONTROLS:

VENTILATION : LOCAL EXHAUST: Adequate MECHANICAL: OTHER:

RESPIRATORY PROTECTION: Avoid exposure levels. When exceeded, use self contained breathing apparatus.

EYE PROTECTION: Approved Safety Glasses SKIN PROTECTION Rubber or Neoprene Gloves

PROTECTIVE CLOTHING OR EQUIPMENT: Eye wash fountain in work area is recommended.

WORK HYGIENIC PRACTICES: Observe good housekeeping practices.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Pale Blue	ODOR:	Sweet/Fruity	pH AS SUPPLIED:	8.6
PHYSICAL STATE:	Viscous Cream			SOLUBILITY IN WATER:	90%
BOILING POINT:	220 F	104 C		PERCENT SOLIDS BY WEIGHT:	ND
MELTING POINT:	ND F	C		SPECIFIC GRAVITY (H2O = 1):	>1
FREEZING POINT:	ND F	C		VISCOSITY:	
EVAPORATION RATE:	1			VAPOR DENSITY (AIR = 1):	>1
BASIS (Butyl Acetate=1):				VAPOR PRESSURE (mmHg):	NA

SECTION 10: STABILITY AND REACTIVITY

STABILITY: Stable CONDITIONS TO AVOID (STABILITY): Open flame

INCOMPATIBILITY (MATERIAL TO AVOID): Strong acids or bases, oxidizing agents.

HAZARDOUS DECOMPOSITION OR BY-PRODUCTS Carbon monoxide and other unidentified organic compounds may be released during combustion.

HAZARDOUS POLYMERIZATION: Will not occur CONDITIONS TO AVOID (POLYMERIZATION): NA

SECTION 11: TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:	CAS NO:	OSHA PEL-TWA:	OSHA PEL STEL:	ACGIH TLV-TWA:
Mineral Spirits Aliphatics	64742-48-9	100ppm	200ppm	500ppm
Octamethylcyclotetrasiloxane	556-67-2	10ppm		10ppm

SECTION 12: ECOLOGICAL INFORMATION

ECOLOGICAL INFORMATION: Octamethylcyclotetrasiloxane 556-67-2 Evidence of reproductive effects in laboratory animals.

MARINE POLLUTANT: Does not present a risk to aquatic organisms.

SECTION 13: DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: In accordance with Federal, State and local regulations.

RCRA HAZARD CLASS: NA

SECTION 14: TRANSPORT INFORMATION

DOT: U.S. DEPARTMENT OF TRANSPORTATION

PROPER SHIPPING NAME: Cleaning compounds Not regulated in accordance with the 49 CFR

IATA - AIR TRANSPORTATION

PROPER SHIPPING NAME: Flammable liquid, NOS (contains Petroleum Distillates)
HAZARD CLASS: 3 ID NUMBER: UN1993 PACKING GROUP: III LABEL STATEMENT: FLAMMABLE
LIMITED QUANTITY: 60 L

IMDG - WATER TRANSPORTATION

PROPER SHIPPING NAME: Flammable liquid, NOS (contains Petroleum Distillates)
HAZARD CLASS: 3 ID NUMBER: UN1993 PACKING GROUP: III LABEL STATEMENT: FLAMMABLE
LIMITED QUANTITY: 5 L STOWAGE LOCATION: A IMDG EmS CODE: F-E, S-E

SECTION 15: REGULATORY INFORMATION

U.S. FEDERAL REGULATIONS

TSCA (TOXIC SUBSTANCE CONTROL ACT): All chemical substances in this material are included on or exempted from listing on the TSCA Inventory of Chemical Substances

EPA SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT):

302 EXTREMELY HAZARDOUS SUBSTANCES: None

304 CERCLA HAZARDOUS SUBSTANCES: None

311/312 HAZARD CLASS:

Mineral Spirits Aliphatics 64742-48-9 Chronic, Fire

313 TOXIC CHEMICALS: None

STATE REGULATIONS:

CAS NO:

STATE - RIGHT TO KNOW LIST:

Octamethylcyclotetrasiloxane 556-67-2 NJ, PA

WHMIS (CANADA) HAZARD SYMBOL AND CLASSIFICATION **Class B3: Combustible Liquid**



INTERNATIONAL REGULATIONS: Not Regulated

INTERNATIONAL LISTS:

All chemical substances in this material are included on or exempted from listing on the following lists: Australia (AICS), Canada (DSL/NDL), Europe (EINECS/ELINCS), Korea (TCCL), Japan (METI), the Philippines (RA6969).

SECTION 16: OTHER INFORMATION

PREPARATION INFORMATION: Surf City Garage 2010

OTHER INFORMATION:

The information and recommendations contained herein are, to the best of Surf City Garage's knowledge and belief, accurate and reliable as of the date issued. You can contact Surf City Garage to insure that this document is the most current available. The information and recommendations are offered for the user's consideration and examination. It is the user's responsibility to satisfy itself that the product is suitable for the intended use. If buyer repackages this product, it is the user's responsibility to insure proper health, safety and other necessary information is included with and/or on the container. Appropriate warnings and safe-handling on the container. Appropriate warnings and safe-handling procedures should be provided to handlers and users. Alteration of this document is strictly prohibited. Except to the extent required by law, re-publication or retransmission of this document, in whole or in part, is not permitted.

• END OF DOCUMENT •